

REMARKS

Claims 1-6 have been cancelled and replaced by Claims 7-16. These claims are supported by the original claims. A new abstract is enclosed.

An early action of the merits is respectfully requested.

Respectfully submitted,

By Thomas W. Roy
Thomas W. Roy
Attorney for Applicants
Reg. No. 29,582

Bayer Corporation
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-8345
FACSIMILE PHONE NUMBER:
(412) 777-8363

/jme/TWR0200

IN THE SPECIFICATION:

At page 1, and on page 20 (Abstract) delete the title and insert
 --CONDENSATION CROSS-LINKING POLYURETHANE MATERIALS
 CONTAINING SPECIAL AMINOSILANES, A METHOD FOR THE PRODUCTION
 THEREOF AND THEIR USE--.

At page 1, line 3 insert the heading --BACKGROUND OF THE INVENTION--.

Before page 2, line 1 insert the heading --SUMMARY OF THE INVENTION--.

At page 3, line 18 insert the heading --DETAILED DESCRIPTION OF THE
 INVENTION--.


IN THE CLAIMS:

Claims 1-6 were cancelled.

The following claims were added:

--7. A polyurethane composition which cross-links via silane
 polycondensation and comprises

- A) at least one alkoxy silane-functional polyurethane having end groups
 corresponding to formula (I)




wherein

R¹ represents an organic group having 1 to 12 carbon atoms,

n is an integer from 2 to 4 and

X, Y, Z represent identical or different organic groups, provided that at least one
 of the groups is an alkoxy group having 1 to 4 carbon atoms,

- B) at least one basic filler,
 C) at least one reaction product of
 i) at least one aminosilane corresponding to formula (II)




wherein

R^2 represents a hydrogen atom or an aminoethyl group and
 n , X , Y , Z have the meanings set forth for formula (I),

with

ii) at least one maleic or fumaric ester corresponding to formula (III)




wherein

R_3 represents an alkyl group having 1 to 12 carbon atoms, and


E) at least one organometallic compound.

8. The polyurethane composition of Claim 7 wherein R_1 represents a group corresponding to formula (IIb)



wherein R_4 denotes an alkyl group having 1 to 4 carbon atoms.

9. The polyurethane composition of Claim 7 wherein component C) comprises an aminosilane compound corresponding to formula (V)



wherein

R_3 represents a linear or branched aliphatic hydrocarbon group having at most 12 carbon atoms,

n is 3 and

X, Y and Z represent methoxy or ethoxy groups.

10. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy or ethoxy group.

11. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy or ethoxy group.

12. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy or ethoxy group.

13. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy group in component A).

14. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy group in component A).

15. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy group in component A).

16. A process for the preparation of the polyurethane composition of Claim 1 which comprises mixing components A), B), C-i) and E) with exclusion of moisture and subsequently adding component C-ii).--